CARBOHYDRATE RESEARCH, VOL. 195 (1989/1990)

AUTHOR INDEX

ABBES, O., 187
ACQUOTTI, D., 51
AZUMA, I., 59

BAER, H. H., 225
BOSSENNEC, V., 157
BRUGGHE, H. F., c1
BRUZIK, K. S., 67

CARLSON, R. W., 101
CASU, B., 157
CHOAY, J., 157, 169
COX, A. D., 123, 295

DIMITRIJEVICH, S. D., 247
DONG, X., 39

ENDO, T., 273

FERRO, D. R., 157, 169
FRONZA, G., 51

GARCI, F., 101
GILLIER-PANDRAUD, H., 187
GOODWIN, J. C., 150
GRACY, R. W., 247

HASEGAWA, A., 59, 134
HERNÁNDEZ MATEO, F., 225
HIROMI, K., 138
HOLLINGSWORTH, R., 101

IMAI, Y., 59
IRIE, M., 273
ISHIDA, H., 59
ITO, Y., 199

KAMERLING, J. P., 75
KARTHA, K. P. R., 134
KATOH, H., 273
KING, S. E., 87
KIRSCHNER, G., 51
KISO, M., 59, 134
KOBATA, A., 273
KOCHETKOV, N. K., 11, 27

LAY, H., 145
LEHMANN, J., 145
LINSKY, C. B., 247
LIPKIND, G. M., 11, 27
LONGCHAMBON, F., 187

MAAS, A. A., 75
MARRA, A., 39, 303
MILER-SRENGER, E., 1
MORI, M., 199
MURASE, T., 134

NECHAEV, O. A., 11, 27
NEUMAN, A., 187
NIEMELÄ, K., 131
NOEL, D., 101

OGAWA, T., 199
OHGI, K., 273
OHNISHI, M., 138
OLSEN, C., 247
OXLEY, D., 111, 117

PÉREZ, S., 187
PERLY, B., 157, 169
PETITOU, M., 39, 157, 169
PROVASOLI, A., 157

RAGAZZI, M., 157, 169
RAVINDRANATHAN KARTHA, K. P., 134
REUTTER, W., 145
ROUZAUD, D., 187
RYDEN, P., 257

SAKURAI, T., 59
SALAMOŃCZYK, G. M., 67
SELVENDRAN, R. R., 87, 257
SHASHKOV, A. S., 11, 27
SHIBAEV, V. N., 11, 27
SIEMSEN, L., 225
SINAŸ, P., 39, 157, 169, 187, 303
SLAGHEK, T. M., 75
SONNINO, S., 51

TATARKO, M., 247
TORGOV, V. I., 11, 27
TORRI, G., 157

VAN BOGM, J. H., c1
VAN DEN ELST, H., c1
VAN VLIET, M. J., 75
VEENEMAN, G. H., c1
VLIEGENTHART, J. F. G., 75

WILKINSON, S. G., 111, 117, 123, 295

ZISER, L., 145

CARBOHYDRATE RESEARCH, VOL. 195 (1989/1990)

SUBJECT INDEX

Access to [6-^{3}H]-labelled L-galactose and L-fucose, an economical, 145

N-Acetyl-α-neuraminosyl-galactose disaccharide derivatives, stereoselective synthesis of, using anomeric *S*-glycosyl xanthates, 303

N-Acetylmuramyl dipeptide, dimer of 6-*O*-acylated, and analog, synthesis and immunoadjuvant activity, 59

α-*N*-Acetylneuraminic acid-(2→6)-galactose, facile synthesis, 134

Alkyl-substituted benzoquinones formed on the degradation of pectic acid with alkali, 131

D-Allose, 3-amino-2,3,6-trideoxy-2-fluoro, synthesis, 225

2-Amino-2-deoxy-L-glucose, structure of the putative O-antigen containing, in the reference strain for *Pseudomonas cepacia* serogroup O1, 295

Asparagine-linked sugar chains of bovine brain ribonuclease, 273

1-(Azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-D-fructose analogs, preparation of, 150

6-Benzylamino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranurononitrile, conformation of the six- and five-membered rings in, 1

Binding of maltose to *Rhizopus niveus* glucoamylase in the pH range where the catalytic carboxyl groups are ionized, 138

Biodegradation of oxidized regenerated cellulose, 247

Bovine brain ribonuclease, structure of carbohydrate of, 273

Capsular polysaccharide of *Streptococcus pneumoniae* types 6A and 6B, synthesis of a selectively protected trisaccharide building block of the, 75

Carboxyl groups, ionized, and the binding of maltose to *Rhizopus niveus* glucoamylase, 138

Cellulose, oxidized regenerated, biodegradation of, 247

Cell-wall component of *Haemophilus (Actinobacillus) pleuropneumoniae* serotype 2, solid-phase synthesis of a, c1

Cell-wall polysaccharides of the parchment layers of the pods of mature runner beans, structural features of the, 87

Conformation of the pentasaccharide corresponding to the binding site of heparin for Antithrombin III, 69

Conformation of the six- and five-membered rings in 6-benzylamino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranurononitrile, 1

Conformations of branched trisaccharide methyl β-glycosides that contain a 2,3-disubstituted galactose residue, nuclear Overhauser effects and, 27

Conformations of branched trisaccharide methyl β-glycosides that contain a 3,4-disubstituted galactose residue, nuclear Overhauser effects and, 11

Conformer populations of L-iduronic acid residues in glycosaminoglycan sequences, 157

Core components from *Rhizobium leguminosarum* biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structures of the lipopolysaccharide, 101

Crystal structure and molecular modelling of "methyl *C*-gentiobioside", 187

L-Daunosamine, (*R*)-2-fluoro, synthesis, 225

Degradation of pectic acid with alkali, formation of alkyl-substituted benzoquinones on the, 131

Dermatan sulfate, synthesis of disaccharide fragments of, 39

2,2′-*O*-[2,2′-Diacetamido-2,3,2′,3′-tetradeoxy-6,6′-di-*O*-(2-tetradecylhexadecanoyl)-α,α′-trehalos-3,3′-diyl]bis(*N*-D-lactoyl-L-alanyl-D-isoglutamine, synthesis and immunoadjuvant activity, 59

Dilactone derivative of GD1b ganglioside, synthesis, structure, and conformation of the, 51

Disaccharide derivatives, a stereoselective synthesis of *N*-acetyl-α-neuraminosyl-galactose, 303

Disaccharide fragments of dermatan sulfate, synthesis of, 39

Enantiomeric 1,4,5,6-tetra-*O*-benzyl-*myo*-inositols, synthesis of the, 67

D-Fructose analogs, preparation of 1-(azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-, 150

L-Fucose, an economical access to [6-^{3}H]-labelled L-galactose and, 145

L-Galactose and L-fucose, an economical access to [6-^{3}H]-labelled, 145
Ganglioside, synthesis, structure, and conformation of the dilactone derivative of GD1b, 51
Glycosaminoglycan sequences, conformer populations of L-iduronic acid residues in, 157
Glycosphingolipids of the molluseries, total synthesis, 199
Glycosyl ceramides of the molluseries, total synthesis, 199

Haemophilus (Actinobacillus) pleuropneumoniae serotype 2, solid-phase synthesis of a cell-wall component of, C1
Heparin, conformation of the pentasaccharide corresponding to the binding site for Antithrombin III in, 169

L-Iduronic acid residues in glycosaminoglycan sequences, conformer populations of, 157
Immunoadjuvant activity of a dimer of 6-*O*-acylated *N*-acetylmuramyl dipeptide, and analog, 59
Inositols, synthesis of the enantiomeric 1,4,5,6-tetra-*O*-benzyl-*myo*-, 67
[6-^{3}H]-Labelled L-galactose and L-fucose, an economical access to, 145
Lipopolysaccharide core components from *Rhizobium leguminosarum* biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structure of the, 101
Lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O18, structure of a neutral polymer isolated from the, 111
Lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O24, structure of the O-specific galactan from the, 117
Lipopolysaccharides of the reference strains for *Pseudomonas cepacia* serogroups O3 and O5, structure of the O-specific polymers from the, 123

"Methyl *C*-gentiobioside", crystal structure and molecular modelling of, 187
Molecular modelling and crystal structure of "methyl *C*-gentiobioside", 187
Mollu-series glycosyl ceramides, α-D-Man*p*-(1→3)-β-D-Man*p*-(1→4)-β-D-Glc*p*-(1→1)-Cer and α-D-Man*p*-(1→3)-[β-D-Xyl*p*-(1→2)]-β-D-Man*p*-(1→4)-β-D-Glc*p*-(1→1)-Cer, total synthesis, 199

Nuclear Overhauser effects and conformations of branched trisaccharide methyl β-glycosides that contain a 2,3-disubstituted galactose residue, 27

Nuclear Overhauser effects and conformations of branched trisaccharide methyl β-glycosides that contain a 3,4-disubstituted galactose residue, 11

Parchment layers of the pods of mature runner beans, structural features of the cell-wall polysaccharides of the, 87
Pectic acid, formation of alkyl-substituted benzoquinones on the degradation with alkali of, 131
Pentasaccharide corresponding to the binding site of heparin for Antithrombin III, conformation of the, 169
Polysaccharides of potato *(Solanum tuberosum)*, structural features of cell-wall, 257
Potato *(Solanum tuberosum)*, structural features of cell-wall polysaccharides of, 257
Preparation of 1-(azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-D-fructose analogs, 150
Pseudomonas cepacia serogroups O3 and O5, structures of the O-specific polymers from the lipopolysaccharides of the reference strains for, 123
Pseudomonas cepacia serogroup O1, structure of the putative O-antigen containing 2-amino-2-deoxy-L-glucose in the reference strain for, 295
Rhizobium leguminosarum biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structures of the lipopolysaccharide core components from, 101
Rhizopus niveus glucoamylase in the pH range where the catalytic carboxyl groups are ionized, binding of maltose to, 138
Ribonuclease, structure of carbohydrate of bovine brain, 273
D-Ristosamine, (*R*)-2-fluoro, synthesis, 225
Runner beans, structural features of the cell-wall polysaccharides of the parchment layers of the pods of mature, 87

Serratia marcescens serogroup O18, structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain for, 111
Serratia marcescens serogroup O24, structure of the O-specific galactan from the lipopolysaccharide of the reference strain for, 117
6-*O*-Sialylation following stannylene activation of an unprotected D-galactopyranoside, 134
Solid-phase synthesis of a cell-wall component of *Haemophilus (Actinobacillus) pleuopneumoniae* serotype 2, C1
Stereoselective synthesis of *N*-acetyl-α-neuraminosyl-galactose disaccharide derivatives, using anomeric *S*-glycosyl xanthates, 303

Streptococcus pneumoniae types 6A and 6B, synthesis of a selectively protected trisaccharide building block of the capsular polysaccharide of, 75
Structural features of cell-wall polysaccharides of potato *(Solanum tuberosum)*, 257
Structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O18, 111
Structure of 6-benzylamino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranurononitrile: conformation of the six- and five-membered rings, 1
Structure of the putative O-antigen containing 2-amino-2-deoxy-L-glucose in the reference strain for *Pseudomonas cepacia* serogroup O1, 295
Structure of the O-specific galactan from the lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O24, 117
Structures of the O-specific polymers from the lipopolysaccharides of the reference strains for *Pseudomonas cepacia* serogroups O3 and O5, 123
Synthesis of a selectively protected trisaccharide building block of the capsular polysaccharide of *Streptococcus pneumoniae* types 6A and 6B, 75
Synthesis of disaccharide fragments of dermatan sulfate, 39
Synthesis of the enantiomeric 1,4,5,6-tetra-*O*-benzyl-*myo*-inositols, 67
Synthesis, structure, and conformation of the dilactone derivative of GD1b ganglioside, 51

L-Talose, 3-amino-2,3,6-trideoxy-2-fluoro, synthesis, 225
Trisaccharide methyl β-glycosides that contain a 2,3-disubstituted galactose residue, nuclear Overhauser effects and conformations of, 27
Trisaccharide methyl β-glycosides that contain a 3,4-disubstituted galactose residue, nuclear Overhauser effects and conformations of branched, 11